Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
[]	4	(("6542964") or ("6704781")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:20
L2	3427	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
L3	683	(711/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
L4	2	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/09/06 10:24
S1	6	(third adj party adj cache\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:45
S2	250	server\$5 with cache\$3 with register\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:44
S3	Ö	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:44
S4	11	('3' third) near party near cache\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:45

S 5	0	S4 with register\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:47
S6	4	(("6542964") or ("6704781")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:24
S7	27	((web content\$3) adj (server\$5 site\$3)) with register\$5 with cache\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:52
S8	7	S7 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:52
S9	182	(server\$5 site\$3) near9 register\$5 near9 cache\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/09/02 13:52
S10	40	S9 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:43
S11	10	"6542964"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 13:56
S12	17	(("6108703") or ("6553413") or ("6405252") or ("6484143") or ("6502125") or ("6665706") or ("6003030") or ("5991809") or ("6185598") or ("6119143")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/06 10:20

S13	2	("6553413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:30
S14	69	(client\$5 adj cache\$5) with ((private public) (block adj data) (ip near pass) (contact) (characteristic\$3 performance\$3) (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:44
S15	21	S14 and @ad<"20000921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:44
S16	0	(cache\$5) with ((private public) and (block adj data) and (ip near pass) and (characteristic\$3 performance\$3) and (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:45
S17	1	(cache\$5) with ((private public) and (block\$5) and (ip) and (characteristic\$3 performance\$3) and (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:45
S18	2	(cache\$5) with ((private status public) and (block\$5) and (ip) and (characteristic\$3 performance\$3) and (cache adj (id identifier\$5 identificat\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 14:45

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library

+"register" +"cache" +"content delivery"

THE ACH DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Published before September 2000 Terms used register cache content delivery

Found 2 of 109,619

Sort results

by Display

results

relevance expanded form

Save results to a Binder Search Tips Open results in a new

window

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 2 of 2

Relevance scale

1 Quality is in the eye of the beholder: meeting users' requirements for Internet quality of

Anna Bouch, Allan Kuchinsky, Nina Bhatti

April 2000 Proceedings of the SIGCHI conference on Human factors in computing systems

Additional Information: full citation, abstract, references, citings, index terms Full text available: pdf(863.24 KB)

Growing usage and diversity of applications on the Internet makes Quality of Service (QoS) increasingly critical [15]. To date, the majority of research on QoS is systems oriented, focusing on traffic analysis, scheduling, and routing. Relatively minor attention has been paid to user-level QoS issues. It is not yet known how objective system quality relates to users' subjective perceptions of quality. This paper presents the results of quantitative experiments that establish a mapping between ...

Keywords: Internet, quality of service, user perception

2 Spontaneous software: a Web-based, object computing paradigm Glêdson Elias da Silveira

June 2000 Proceedings of the 22nd international conference on Software engineering

Additional Information: full citation, references, index terms Full text available: pdf(112.31 KB)

Keywords: mobile code, software distributing, software reuse

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Real Player



Home | Login | Logout | Access Information | Alerts | Sitemap | He

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((register<in>metadata) <and> (cache<in>metadata))<and> (web<in>..." Your search matched 2 of 1229994 documents.

⊠e-trail 🚇 printer trien

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Modify Search

» Search Options

View Session History

New Search

Check to search only within this results set

Select Article Information

((register<in>metadata) <and>(cache<in>metadata))<and>(web<in>metadata)

s Key

IEEE Journal or

Magazine

IEE JNL

IEEE JNL

IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding IEEE STD IEEE Standard

1. An efficient connection scheme for mobile IP

Display Format: 6 Citation C Citation & Abstract

Hye-Young Kim; Chong-Sun Hwang; Networks, 2001. Proceedings. Ninth IEEE International Conference on

10-12 Oct. 2001 Page(s):396 - 400

Digital Object Identifier 10.1109/ICON.2001.962374

AbstractPlus | Full Text: PDF(482 KB) | IEEE CNF

2. An infrastructure for meta-auctions

Bornhovd, C.; Cilia, M.; Liebig, C.; Buchmann, A.;

Advanced Issues of E-Commerce and Web-Based Information Systems, 2000. WECWIS 200

Second International Workshop on

8-9 June 2000 Page(s):21 - 30

Digital Object Identifier 10.1109/WECWIS.2000.853855

AbstractPlus | Full Text: PDF(236 KB) | IEEE CNF

Help Contact Us Privacy & Security IEEE.

@ Copyright 2005 IEEE - All Rights Resei

indexed by **#Inspec** Google

Web Images Groups News Froogle Local more »

"third party cache" "web" "register"

Search

Preferences

Web

Results 1 - 10 of about 69 for "third party cache" "web" "register". (0.34 seconds)

Deployment Guide - Third Party Cache

Web caches are used to move web content closer to web clients and offload the server of ... When used in an architecture that already has a web cache, ... support.packeteer.com/.../packetguide/appcelera-3.0.2/ advanced/deployment-guide/deployment-guide-17.htm - 15k - Cached - Similar pages

Deployment Guide - Inline Deployment Mode

In the inline mode, AppCelera is inserted between the web servers and the ...

The Inside port is used to connect web servers and the Outside port is used to ...
support.packeteer.com/.../packetguide/appcelera-3.0.2/ advanced/deployment-guide/deployment-guide-19.htm 15k - Cached - Similar pages

[More results from support.packeteer.com]

Tech Patterns :: Web page optimization and IP packet size.

Register:: Log in · Forum FAQ · Search Forums · Web page optimization and IP ... Implementing a good third-party cache optimization system probably also ... techpatterns.com/forums/about179.html - 19k - <u>Cached - Similar pages</u>

WCCP Enhancements [Cisco IOS Software Releases 12.0 S] - Cisco Systems

ip wccp web-cache group-address 224.1.1.100 password alabama ... The following example shows how to register a router to a multicast address of 224.1.1.100: ... www.cisco.com/en/US/products/sw/iosswrel/ ps1829/products_feature_guide09186a0080081206.html - 114k - Sep 4, 2005 - Cached - Similar pages

(PDF) Selective Dissemination of Information in the Dynamic Web Environment

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>

register a query predicate instead of simplya query identier at the provider.

... A third party cache could interact with the information provider, ...

www.cs.virginia.edu/~cyberia/papers/eko_thesis.pdf - <u>Similar pages</u>

PowerMac Getting Slow. : (.... What do you do to speed up your ...

I've tried some of the **third party cache** cleaners, but to no avail. ... Other Topics, Digital Video & Audio, Art & Graphic Design, **Web** Developer, Networking ... macnn.com/rd.php?id=33209 - 144k - Cached - Similar pages

[DOC] Windows Media 9 Series Deployment Guide

File Format: Microsoft Word 2000 - View as HTML

Windows Media Services Administrator for the Web, an HTML 3.2-based interface,

... A third-party cache/proxy plug-in can be installed to a server to provide ...

download.microsoft.com/download/8/8/c/ 88cca5ba-cf78-405e-ae70-49b53f5c8ad7/WMS9SDeploymentGuideFinal.DOC - Similar pages

[PDF] REALPROXY G2 ADMINISTRATION GUIDE BETA ONE

File Format: PDF/Adobe Acrobat - View as HTML

RealSystem Administrator is the **web**-based console for fine-tuning RealProxy. features. ... RealProxy can also be integrated with **third-party cache** software, ...

docs.real.com/docs/realproxyg2b1.pdf - Similar pages

[PDF] Apple Logic Board Design LPX-40

File Format: PDF/Adobe Acrobat - View as HTML

The Apple Developer World web site is the one-stop source for finding ...

development of third-party cache cards for the Apple Logic Board Design LPX-40. ...

developer.apple.com/documentation/Hardware/ Developer_Notes/Macintosh_CPUs-PPC_Desktop/LPX-40_Dev_Note.pdf -

http://www.google.com/search?hl=en&lr=&q=%22third+party+cache%22+%22web%2... 9/6/05

Similar pages

[PDF] Power Macintosh 5500 and 6500 Computers


File Format: PDF/Adobe Acrobat - <u>View as HTML</u> support development of **third-party cache** cards for the Power Macintosh 5500 and ... ATA **register** select signal. It is asserted high to select the additional ... developer_apple.com/documentation/Hardware/ Developer_Notes/Macintosh_CPUs-PPC_Desktop/PPC_5500_6500.pdf - <u>Similar pages</u>

Gooogle >

Result Page:

1 2 3 4

<u>Next</u>



Free! Instantly find your email, files, media and web history. Download now.

"third party cache" "web" "register"

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google